

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: 062005DATE : 06/20/2005TO SPE OF : ART UNIT 1638SUBJECT : Request for Certificate of Correction on Patent No.: 6,858,776

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location **7580, Certificates of Correction Branch – South Tower – 9A22**If response is for an IFW, **return to employee (named below) via PUBSCofC Team in MADRAS.**With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch
Tel. No. 703-308-9390 ext. 114

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☒ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments:

Amendment to column 10, line 35 NOT APPROVED
because no basis was pointed out for "GSP4."
See approved amendment to line 51 of column 10.
Amendment to line 45 of column 10
NOT APPROVED because "Mc" does not appear
in this line.

Art Unit
SPE1638
Art Unit